

Road cone 540 mm PVC 1.6 kg reflective R2 with black base

DROGOWE
SP. Z O.O.

SKU: PA54PVCR2BL_16

Gross Price: PLN 104.55

Net Price: PLN 85.00



Technical Specification

Attribute	Value
Dimension	540 mm
Color	Red/white
Material	PCV
Weight	1,6 kg
Reflektiv	Yes, 2 class
Base dimension	290x294mm
Shipping time	1-2 days

Description

Traffic Cone 540 mm with Red and White Reflective Stripes - Premium Quality & Safety

Our **540 mm traffic cone** in bright orange features **two white and three red reflective stripes (2nd generation)** ensuring exceptional visibility day and night. Made of soft PVC (cone + base), it is durable, flexible and resistant to damage. Its **1.6 kg** weight provides excellent stability.

We are a long-established manufacturer and direct importer of road safety equipment, well-known and respected across European markets. Most items ship directly from our warehouse — ensuring **fast delivery** and competitive pricing.

Usage in compliance with regulations

This traffic cone complies with guidelines for temporary traffic control, work zone marking and safety standards. Perfect for:

- roadworks and construction zones,
- marking hazards and obstacles,
- temporary traffic rerouting,
- safety perimeters and restricted areas.

Five additional usage ideas

1. Industrial halls and warehouse zoning.
2. Parking management and event safety.
3. Driving school training.
4. Sports clubs – marking training areas.
5. Transport & logistics hubs – loading zone marking.

Pachołek 54 cm PVC R2 1,6 kg czarna podstawa odblaskowy

Pachołki drogowe 54 cm PVC stanowią podstawę zabezpieczeń drogowych.

Wyposażone są w odbłask drugiej generacji, co zapewnia wysoki poziom widoczności pachołka, nawet podczas niesprzyjających warunków pogodowych. Z tego powodu, pachołki ostrzegawcze sprawdzają się w tunelach, halach magazynowych oraz podziemnych parkingach. Wysoki poziom widoczności pachołka drogowego pozwala na zabezpieczenie prac całodobowo. Pachołek drogowy wyposażony jest w podstawę czarnego koloru i waży 1,6 kg. Znajduje zastosowanie podczas oznaczenia stref wyłączonych z ruchu, miejsc niebezpiecznych oraz zaznaczania krawędzi jezdni. Idealni sprawdzi się na placach budowy gdzie czarna podstawa będzie kontrastowała z otoczeniem, pozwalając na wczesne zauważenie pachołka. Elastyczny polichlorek winylu, z którego pachołek został wykonany pozwala na uniknięcie uszkodzeń mechanicznych pachołków wskutek najechania przez pojazdy.

Cechy:

- Pachołek drogowy o wysokości 54 cm.
- Wykonany z elastycznego PVC.
- Kolor - pomarańczowy, 2 białe pasy odbłaskowe II generacji.
- Waga 1,6 kg.